

## WE CLAIM:

Claims 1-4  
class 248/309.1  
5 ak

1. A dispensing system for dispensing wet wipes comprising:  
a wet wipes dispenser;  
a mounting assembly; and  
a backing plate.
2. The dispensing system of claim 1, wherein the backing plate and the dispenser are removably attached.
3. The dispensing system of claim 1, wherein the backing plate and the dispenser are integral.
4. The dispensing system of claim 1, further comprising tightening means.
5. The dispensing system of claim 4, wherein the tightening means can exert pressure on the mounting assembly and the backing plate such that the dispenser is fixed to a surface.
6. A back plate for mounting a dispenser to a surface, said backing plate comprising:  
a body member, the body having a top side, a bottom side, a front side, and a back side, the top and front sides having means for engaging a wet wipes dispenser.
7. The backing plate of claim 6, wherein the plate is fixed to a surface by an applied pressure.
8. The backing plate of claim 6, wherein the plate is fixed to a surface by fastening means.
9. A dispensing system for dispensing wet wipes comprising:  
a wet wipes dispenser;

Es/2  
a backing plate; and  
arms.

10. The dispensing system of claim 9, wherein the arms support a second dispenser.

5 11. The dispensing system of claim 9, wherein the arms support a roll of conventional dry bath tissue.

12. The dispensing system of claim 9, wherein the arms comprise openings.

10 13. The dispensing system of claim 9, wherein the arms comprise openings configured to receive a spindle.

14. The dispensing system of claim 9, wherein the arms comprise openings and further comprise cover mounts,  
the openings and cover mounts configured to receive a spindle.

15 15. A dispensing system for dispensing wet wipes comprising:  
a dispenser, the dispenser exerting a dispensing force;  
a gap, the gap allowing for dispensing of the wet wipes; and  
wet wipes, the wet wipes having a length and a width, the wet  
wipes having a tensile strength which is at least twice that of the dispensing  
force.

20 16. The dispensing system of claim 15, wherein the wet wipes have a tensile strength at least five times that of the dispensing force.

17. The dispensing system of claim 15, wherein the wet wipes have a tensile strength at least seven times that of the dispensing force.

25 18. The dispensing system of claim 15, wherein the wet wipes have a tensile strength along the length of at least 300 g/in.

sh  
M

19. The dispensing system of claim 15, wherein the wet wipes have a tensile strength along the length between about 300 and 600 g/in.

20. The dispensing system of claim 15, wherein the wet wipes have a tensile strength along the width of at least 250 g/in.

5 21. The dispensing system of claim 15, wherein the wet wipes have a tensile strength along the width of between about 250 and 500 g/in.

22. The dispensing system of claim 15, wherein the wet wipes have a peel force, the peel force contributing to the dispensing force.

10 23. The dispensing system of claim 15, wherein the wet wipes have a peel force between about 18 and 70 g/in.

24. The dispensing system of claim 15, wherein the wet wipes have a peel force between about 20 and 40 g/in.

15 25. The dispensing system of claim 15, wherein the dispenser contributes to the dispensing force such that the dispensing force is between about 20 and 150 g/in.

26. The dispensing system of claim 15, wherein the dispenser contributes to the dispensing force such that the dispensing force is between about 30 and 60 g/in.

20 27. The dispensing system of claim 15, wherein the dispenser contributes to the dispensing force such that the dispensing force is less than about 47 g/in.

28. The dispensing system of claim 15, wherein the wet wipes are configured in a roll.

25 29. The dispensing system of claim 15, wherein the wet wipes are configured in a roll, the roll being coreless.

5

30. The dispensing system of claim 15, wherein the wet wipes comprise perforations.

31. A dispensing system for dispensing wet wipes comprising:  
a dispenser, the dispenser exerting a dispensing force;  
a gap, the gap allowing for dispensing of the wet wipes; and  
wet wipes, the wet wipes having perforations, the wet wipes  
having a detach strength which is at least twice that of the dispensing force.

32. The dispensing system of claim 31, wherein the wet wipes are configured in a roll.

33. The dispensing system of claim 31, wherein the wet wipes are configured in a roll, the roll being coreless.

34. The dispensing system of claim 31, wherein the wet wipes comprise perforated sheets.

35. The dispensing system of claim 31, wherein the wet wipes have perforations, the perforations having a bond length, a cut length, and a bond spacing.

36. The dispensing system of claim 31, wherein the wet wipes have perforations, the perforations having a bond length of 0.01 inches, a cut length of 0.03 inches, and a bond spacing of 0.04 inches.

37. The dispensing system of claim 31, wherein the wet wipes have perforations, the perforations having a bond length of 0.02 inches, a cut length of 0.05 inches, and a bond spacing of 0.07 inches.

38. The dispensing system of claim 31, wherein the wet wipes have perforations, the perforations having a bond length of 0.04 inches, a cut length of 0.09 inches, and a bond spacing of 0.13 inches.

39. The dispensing system of claim 31, wherein the wet wipes have a detach strength at least five times that of the dispensing force.

40. The dispensing system of claim 31, wherein the wet wipes have a detach strength at least seven times that of the dispensing force.

41. The dispensing system of claim 31, wherein the wet wipes have a tensile strength along the length of at least 300 g/in.

42. The dispensing system of claim 31, wherein the wet wipes have a tensile strength along the length between about 350 and 500 g/in.

43. The dispensing system of claim 31, wherein the dispenser contributes to the dispensing force such that the dispensing force is between about 20 and 150 g/in.

44. The dispensing system of claim 31, wherein the dispenser contributes to the dispensing force such that the dispensing force is between about 30 and 60 g/in.

45. The dispensing system of claim 31, wherein the dispenser contributes to the dispensing force such that the dispensing force is less than about 47 g/in.

46. A method for dispensing wet wipes comprising:  
mounting a wet wipes dispenser in the toilet tissue dispenser by means of a mounting assembly, the wet wipes dispenser having wet wipes and a backing plate;

securing the wipes dispenser to the toilet tissue dispenser and at least one surface by means of a screw in the mounting assembly; and removing wet wipes from the wipes dispenser.

47. The method of claim 46, wherein the mounting comprises engaging the wet wipes dispenser with the posts of the toilet tissue dispenser by means of a mounting assembly.

48. The method of claim 46, wherein the securing comprises applying pressure to the posts of the toilet tissue dispenser and the at least one surface by adjusting a screw in a mounting assembly.

49. The method of claim 46, wherein the wipes dispenser is rigidly, removably, and adjustably secured to the toilet tissue dispenser and at least one surface.

50. The method of claim 46, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 500 g.

51. The method of claim 46, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 800 g.

52. The method of claim 46, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 1100 g.

53. A method for dispensing wet wipes comprising:  
 securing a wet wipes dispenser to a toilet tissue dispenser by applying pressure to the posts of the toilet tissue dispenser and at least one surface by adjusting a screw in a mounting assembly, the dispenser comprising a backing plate;  
*inserting where?*  
 inserting a container of wet wipes; and  
 removing wet wipes from the wipes dispenser.

54. The method of claim 53, wherein the mounting comprises engaging the wet wipes dispenser with the posts of the toilet tissue dispenser by means of a mounting assembly.

55. The method of claim 53, wherein the securing comprises applying pressure to the posts of the toilet tissue dispenser and the at least one surface by adjusting a screw in a mounting assembly.



56. The method of claim 53, wherein the wipes dispenser is rigidly, removably, and adjustably secured to the toilet tissue dispenser and at least one surface.

5 57. The method of claim 53, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 500 g.

58. The method of claim 53, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 800 g.

10 59. The method of claim 53, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 1100 g.

15 60. A method for dispensing wet wipes comprising:  
attaching a wet wipes dispenser to a surface such that the wipes dispenser does not move substantially during use, the wet wipes dispenser comprising a backing plate, wet wipes, an opening, and a moisture barrier means;

pulling the wet wipes through the moisture barrier means; and  
removing wet wipes from the dispenser.

20 61. The method of claim 60, wherein the attaching comprises engaging the wet wipes dispenser with the posts of a toilet tissue dispenser by means of a mounting assembly.

25 62. The method of claim 60, wherein the attaching comprises applying pressure to the posts of a toilet tissue dispenser and the at least one surface by adjusting a screw in a mounting assembly.

63. The method of claim 60, wherein the wipes dispenser is rigidly, removably, and adjustably secured to a toilet tissue dispenser and at least one surface.

64. The method of claim 60, wherein the attaching is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 500 g.

65. The method of claim 60, wherein the attaching is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 800 g.

66. The method of claim 60, wherein the attaching is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 1100 g.

67. A method for dispensing wet wipes comprising:  
attaching a wet wipes dispenser to a surface such that the wipes dispenser does not move substantially during use, the wet wipes dispenser comprising a backing plate, an opening, and a moisture barrier means;  
inserting a container of wet wipes into the dispenser;  
pulling the wet wipes through the moisture barrier means; and  
removing wet wipes from the dispenser.

68. The method of claim 67, wherein the attaching comprises engaging the wet wipes dispenser with the posts of a toilet tissue dispenser by means of a mounting assembly.

69. The method of claim 67, wherein the attaching comprises applying pressure to the posts of a toilet tissue dispenser and the at least one surface by adjusting a screw in a mounting assembly.

70. The method of claim 67, wherein the wipes dispenser is rigidly, removably, and adjustably secured to a toilet tissue dispenser and at least one surface.

71. The method of claim 67, wherein the attaching is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 500 g.



cb/ 72. The method of claim 67, wherein the securing attaching is such  
that the wipes dispenser does not substantially move over a period of 10  
minutes when subjected to a force of at least 800 g.

5 73. The method of claim 67, wherein the attaching is such that the  
wipes dispenser does not substantially move over a period of 10 minutes  
when subjected to a force of at least 1100 g.

74. A method for dispensing wet wipes comprising:  
mounting a wet wipes dispenser in a toilet tissue dispenser by  
means of a mounting assembly such that the mounting assembly and  
dispenser together exert pressure on the posts of the toilet tissue dispenser  
and on at least one surface, the dispenser comprising a backing plate.  
10

75. The method of claim 74, wherein the mounting comprises  
engaging the wet wipes dispenser with the posts of the toilet tissue dispenser  
by means of a mounting assembly.

15 76. The method of claim 74, wherein the mounting comprises  
applying pressure to the posts of the toilet tissue dispenser and the at least  
one surface by adjusting a screw in a mounting assembly.

20 77. The method of claim 74, wherein the wipes dispenser is rigidly,  
removably, and adjustably secured to the toilet tissue dispenser and at least  
one surface.

78. The method of claim 74, wherein the mounting is such that the  
wipes dispenser does not substantially move over a period of 10 minutes  
when subjected to a force of at least 500 g.

25 79. The method of claim 74, wherein the mounting is such that the  
wipes dispenser does not substantially move over a period of 10 minutes  
when subjected to a force of at least 800 g.

80. The method of claim 74, wherein the mounting is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 1100 g.

81. A method for dispensing wet wipes comprising:  
removing a spindle from a toilet tissue dispenser;  
mounting a wet wipes dispenser in the toilet tissue dispenser by means of a mounting assembly, the dispenser having a movable tray and a backing plate, the mounting assembly having a screw;  
moving the tray such that the screw is uncovered; and  
adjusting the screw in the mounting assembly such that the wipes dispenser is secured to the toilet tissue dispenser and at least one surface.

82. The method of claim 81, wherein the mounting comprises engaging the wet wipes dispenser with the posts of the toilet tissue dispenser by means of a mounting assembly.

83. The method of claim 81, wherein the securing comprises applying pressure to the posts of the toilet tissue dispenser and the at least one surface by adjusting a screw in a mounting assembly.

84. The method of claim 81, wherein the wipes dispenser is rigidly, removably, and adjustably secured to the toilet tissue dispenser and at least one surface.

85. The method of claim 81, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 500 g.

86. The method of claim 81, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 800 g.

87. The method of claim 81, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 1100 g.

88. A method for dispensing wet wipes comprising:  
mounting a wet wipes dispenser in the toilet tissue dispenser by means of a mounting assembly; the wet wipes dispenser having wet wipes, a tray, and a backing plate; the mounting assembly having a screw;  
moving the tray such that the screw is uncovered;  
securing the wipes dispenser to the toilet tissue dispenser and at least one surface by means of the screw;  
repositioning the tray in the dispenser; and  
removing wet wipes from the wipes dispenser.

89. The method of claim 88, wherein the mounting comprises engaging the wet wipes dispenser with the posts of the toilet tissue dispenser by means of a mounting assembly.

90. The method of claim 88, wherein the securing comprises applying pressure to the posts of the toilet tissue dispenser and the at least one surface by adjusting a screw in a mounting assembly.

91. The method of claim 88, wherein the wipes dispenser is rigidly, removably, and adjustably secured to the toilet tissue dispenser and at least one surface.

92. The method of claim 88, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 500 g.

93. The method of claim 88, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 800 g.

94. The method of claim 88, wherein the securing is such that the wipes dispenser does not substantially move over a period of 10 minutes when subjected to a force of at least 1100 g.